

起重量 Cap		t	5							10								
跨度 Span			10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5	10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5
最大起升高度 Max. Lifting Height		m	16															
速度 Speed	起升 Lift	A	11.4							7.6								
		5	15.4							13.3								
	A	38.3							43.8									
	6	90.7							91.9		90.7		91.9		84.7			
	小车运行 Traversing	m/min	115.6							116.8		115.6		116.8		112.5		
	大车运行 Travelling	A	115.6							116.8		115.6		116.8		112.5		
电动机 Motor	起升 Lift	A	YZR160L-6/13kw							YZR180L-8/13kw								
		5	YZR180L-6/15kw							YZR200L-6/22kw								
	A	YZR112M-6/1.8kw							YZR132M1-6/2.5kw									
	6	YZR132M2-6/2×4kw			YZR160M1-6/2 ×6.3kw		YZR132M2-6/2 ×4kw		YZR160M1-6/2×6.3kw									
	小车运行 Traversing	kw	YZR160M1-6/2×5.5kw							YZR160M2-6/2 ×7.5kw		YZR160M1-6/2 ×5.5kw		YZR160M2-6/2×7.5kw				
	大车运行 Traversing	A	YZR160M1-6/2×5.5kw							YZR160M2-6/2 ×7.5kw		YZR160M1-6/2 ×5.5kw		YZR160M2-6/2×7.5kw				
主要尺寸 (mm) Main Size	H		1764							1876				1926				
	H1	2526	2546	2596	2756	2906	3056	3206	3356	2526	2546	2596	2756	2906	3008	3158	3308	
	H2	735+H0					735+H0			735+H0				790+H0				
	H3	31							561.5				511.5					
	h	870																
	k	1400±2							2000									
	B	5050(5150)			5200(5204)		6024(6264)		5700(5704)			5930(5934)		6284(6504)				
	W	3400			3550		5000		4050				5000					
	W	1100							1400									
	b	230																
	F	-24	126	226	376	526	676	826	976	-24	126	226	376	526	628	778	928	
	S2	800							1050									
	S3	1250							1300									
重量 Weight	小车 Trolley	A	2500							3400								
		5	2550							3500								
t			2500							3400								
			2550							3500								

总重 Total Weight	A5	13	14	16	19	21	26	29	32	15	17	19	21	24	28	32	35								
	A6	14	15	17	20	22	27	31	34	15	17	20	22	25	30	33	36								
最大轮压 Max. Wheel Pressure	A5	8.0	8.5	9.1	9.8	10.4	11.7	12.5	13.2	10.9	11.5	12.3	12.9	13.6	14.9	15.8	16.6								
	A6	8.5	9.1	9.2	10.4	11.1	12.5	13.3	13.8	11.1	11.8	12.6	13.1	13.8	15.4	16.3	17.1								
荐用钢轨 Recommend Steel Track		38kg/m								43kg/m															
电源 Power Supply		三相交流 3-Phase A.C. 50Hz 380V																							
起重量 Lifting Weight		t	16/3.2								20/5														
跨度 Span		m	10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5	10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5							
最大起升高度 Max. Lifting Height			主 Primary	16								12													
		副 Secondary	18								14														
速度 Speed	起升 Lift	主 Primary	A5	7.9								7.2													
		A6	13								12.3														
	副 Secondary		m/min	19.7								19.5													
	小车运行 Handcart Travel			44.6																					
大车运行 Cart Travel		A5	84.7				87.6				84.7				87.6										
		A6	112.5				101.4				112.5				101.4										
电动机 Motor	起升 Lift	主 Primary	A5	TZR225M-8Z/26																					
		A6	YZR250M1-6/37								YZR250M2-6/45														
	副 Secondary		YZR160L-6Z/13								YZR180L-6Z/17														
	小车运行 Handcart Travel		YZR132M2-6/4																						
大车运行 Cart Travel		A5	YZR160M1-6/6.3×2				YZR160M2-6/8.5×2				YZR160M1-6/6.3×2				YZR160M2-6/8.5×2										
		A6	YZR160M2-6/7.5×2				YZR160L-6/11×2				YZR160M2-6/8.5×2				YZR160L-6/11×2										
主要尺寸 (mm) Main Size		H	A5	2095				2185				2097				2187									
			A6	2095	2097	2185	2187	2097	2099	2189															
		H1	A5	2520	2550	2620	2768	2918	3068	3218	2520	2522	2552	2622	2770	2920	3070	3220							
			A6	2520	2550	2620	2770	2920	3070	3220	2520	2524	2554	2624	2772	2922	3072	3222							
		H2	850+Ho				940+Ho				850+Ho				940+Ho										
		H3	A5	729				639				701				611									
			A6	729	727	639	637				701	699				609									
		H4	770								496														
		H	A5	720																					
			A6	820																					
K	2000																								
B	A5	5940				5944				6434				5940				5944				6434			
	A6	6274								7004				6274								7004			

W	A5	4000	4100	5000	4000	4100	5000											
	A6	4400			4400													
WC		2400																
b		230			260				230			260						
F	A5	80	180	240	388	538	688	838	80	82	182	242	390	540	690	840		
	A6	80	180	240	390	540	690	840	80	84	184	244	392	542	692	842		
S1		1040						1030										
S2		1850						1900										
S3		1500						1450										
S4		2310						2320										
重量 Weight	小车 Handcart	A5	6.227						6.856									
		A6	6.427						7.18									
总重 Total Weight		A5	19.2	21	23	27	30	34	38	41	20	22	24	29	32	37	40	43
		A6	21	23	25	29	32	36	40	44	22	24	27	31	34	39	43	46
最大轮压 Max. Wheel Pressure		A5	14.6	15.5	16.3	18.5	19.3	20.5	21.4	22.3	16.5	17.6	18.5	20.7	21.6	23.0	23.9	24.9
		A6	15.5	16.4	17.3	19.4	20.3	21.4	22.3	23.2	17	18.8	19.9	22.1	23.3	24.3	25.5	26.5
荐用钢轨 Recommend Steel Track		43kg/m QU70																
电源 Power Supply		三相交流 3-Phase A.C. 50Hz 380V																

起重量 Lifting Weight		t	32/5							50/10								
跨度 Span			10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5	10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5
最大起升高度 Max. Lifting Height	主 Primary	m	16							12								
	副 Secondary		18							16								
速度 Speed	起升 Lift	主 Primary A5	7.51							5.9								
		A6	9.5							7.8								
	副 Secondary	A5	19.7							13.2								
		A6	19.7							13.2								
	小车运行 Handcart Travel			42.4							38.5							
	大车运行 Cart Travel	A5	87.6	74.2	74.6				85.9									
A6		101.4	101.8	86.8				87.3										
电动机 Motor	起升 Lift	主 Primary	A5	YZR280S-10Z/42						YZR280M-10Z/55								
			A6	YZR280M-8/55						YZR315S-8/75								
	副 Secondary	A5	YZR180-6Z/17						YZR200L-6Z/26									
		A6	YZR160M1-6/6.3						YZR160M2-6/8.5									
	小车运行 Handcart Travel			YZR160M2-6/8.5×2			YZR160L-6/13×2			YZR180L-8/13×2								
	大车运行 Cart Travel			YZR160L-6/11×2			YZR180L-8/11×2			YZR200L-8/15×2								
主要尺寸 (mm) Main Size		H	A5	234	2345	2475			2726		2732							
			A6	234	2347	2477			272	272	2734							

		H 1	A5	258 0	258 4	261 4	264 4	279 4	294 4	309 4	319 4	253 1	252 6	253 2	263 2	278 2	293 2	308 2	3182		
		H 1	A6	258 0	258 6	261 6	264 6	279 6	294 6	309 6	319 6	253 1	252 8	253 4	263 4	278 4	293 4	308 4	3184		
		H 2	A5	940+H0			1035+H0			1070+H0			1090+H0								
		H 2	A6	940+H0			1070+H0			1090+H0			1130+H0								
		H 3	A5	705	701		571			1020			1014								
		H 3	A6	703	699		571			569			102 0	101 8	1012						
		H4				790						948									
		h				820						675									
		k							2500												
		A5	6474			6620			6924			6724			6824			7144			
		A6	6574			6744			7044			6944						7024			
		W	4650			4700			5000			4800						5000			
		W				2800									3580						
		b	260									300									
		A5	90	94	244	264	414	564	714	814	-79	96	102	252	402	552	702	802			
		A6	90	96	246	266	416	566	716	816	-79	98	104	254	404	554	704	804			
		S1				1070									1005						
		S2				2050									2200						
		S3				1700									2000						
		S4				2680									3195						
重量 Weight	小车 Handcart	A 5				10.9						15.5									
		A 6				11.7			16												
	总重 Total Weight	A 5	27	30	33	38	41	46	50	54	37	40	44	49	53	58	62	68			
		A 6	28	31	35	40	43	48	52	56	40	43	48	52	56	62	67	72			
最大轮压 Max. Wheel Pressure	A 5	24.8	26.4	27.8	30.1	31.1	33.1	34.4	35.4	36.5	39.9	42.0	43.0	45.6	47.4	48.7	50.3				
	A 6	26.4	28.2	29.6	31.0	32.4	34.0	35.0	36.4	37.9	40.3	42.5	44.4	46.0	47.8	49.2	50.8				
荐用钢轨 Recommend Steel Track		QU70 □90×90									QU80 □100×100										
电源 Power Supply		三相交流 3-Phase A.C.50Hz,380V																			