

起重量 Lifting Weight		t	5							10							16									
跨度 Span m			10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5	10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5	10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5
最大起升高度 Max Lifting Height		m	16							12							16									
工作级别 Working Class			A6																							
速度 Speed	起升 Lift	电磁 Magnet	19.9							19.4							16.4									
	小车运行 Handcar Travel		39.5							43.8							45									
	大车运行 Cart Travel		115.6				116.8			115.6		116.8			112.5				101.4							
电机 Motor	起升 Lift	电磁 Magnet	YZR200L-6/22							YZR250M1-6/37							YZR250M2-6/45									
	小车运行 Handcar Travel		YZR112M1-6/1.5							YZR132M1-6/2.2							YZR132M2-6/3.7									
	大车运行 Cart Travel		YZR160M1-6/5.5x2				YZR160M2-6/7.5x2			YZR160M1-6/5.5x2		YZR160M2-6/7.5x2			YZR160M2-6/7.5x2		YZR160L-6/11x2									
主要尺寸 (mm) Main Size		B	5390	5450	6100	6040	6130	6330	6235	6835																
		BQ	3600	3660	5000	4050	5000	4400	5000																	
		BX	1100	1500	1700																					
		b	230	260																						
		LX	1400	1500	2000																					
		H	1764	2028	2026	2076	2095	2097	2187																	

		H1	252	254	259	275	290	305	320	335	252	254	259	275	290	300	315	330	257	257	255	262	277	292	307	322
		H2	735										790					880								
		S1	1250										1500					1900								
		S2											1500													
		F	-24	126	226	376	526	676	826	976	-22	128	228	378	528	628	778	928	80	82	182	242	390	540	690	840
		h	850										720					700								
		重量 Weight	小车 Handcart	2.496										4.662					5.55							
t	总重量 Total Weight	13.7	15.5	17.5	20	22.4	26.7	29.9	32.9	19.5	21.4	24.2	25.9	28.7	33	36.3	39.2	20.6	22.5	25.8	29.1	31.8	35.9	39.4	42.3	
最大轮压 Max. Wheel Pressure		kN	7.2	7.9	8.7	9.4	10.4	11.4	12.2	13.4	11.5	12.2	12.9	13.8	14.5	15.7	16.4	17.3	14.3	15.3	16.2	17.3	18.4	19.4	20.4	21.3
电磁盘 Magnet	型号 Model	MW1-6					MW1-16					MW1-16					MW1-16									
	吸重 Pulling Weight	4540					3330					8330					14330									
	自重 Dead Weight	460					1670					1670					1670									
	直径 Diameter	776					1180					1180					1180									
荐用钢轨 Recommend Steel Track		38kg/m										43kg/m					43kg/m QU70									
电源 Power Supply		三相交流 3-Phase A.C. 50Hz 380V																								

起重量 Lifting Weight		t	16/3.2 (主钩电磁) Main Magnet								20/5 (主钩电磁) Main Magnet								32/5 (副钩电磁) Secondary Magnet																
跨度 Span			10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5	10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5	10.5	13.5	16.5	19.5	22.5	25.5	28.5	31.5									
最大起升高度 Max Lifting Height		m	16/18								16/18																								
工作级别 Working Class			A6																																
速度 Speed	起升 Lift	主钩 Primary Hook	16.6								14.4								12.3																
		副钩 Secondary Hook	19.5								19.5								20																
	小车运行 Handcar Travel	44.6								44.6																									
	大车运行 Cart Travel	112.5				101.4				112.5				101.4				112.5				101.4													
电机 Motor	起升 Lift	主钩 Primary Hook	YZR250M2-6/45								YZR280M-8/55								YZR250M2-6/45																
		副钩 Secondary Hook	YZR160L-6Z/13								YZR180L-6Z/17								YZR200L-6/22																
	小车运行 Handcar Travel	YZR132M2-6/3.7												YZR132M2-6/3.7																					
	大车运行 Cart Travel	YZR160M2-6/7.5x2				YZR160L-6/11x2				YZR160M2-6/7.5x2				YZR160L-6/11x2				YZR160M2-6/7.5x2				YZR160L-6/11x2													
主要尺寸 (mm) Main Size		B	6235				6835				6735				6835				6735				6835												
		BQ	4400				5000				4900				5000				4900				5000												
		BX	2935																																
		b	230				260				230				250				230				260												
		LX	2000																																
		H	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209	209
		H1	257	257	255	262	277	292	307	322	257	257	255	262	277	292	307	322	257	257	255	262	277	292	307	322	257	257	255	262	277	292	307	322	
		H2	790				880				790				880				790				880												
		S1	1105								1250																								

	S2	1600												1700																																																
	S3	2460												2650																																																
	S4	2955												3100																																																
	F	80	82	182	242	390	540	690	840	82	84	184	244	394	544	694	844	82	84	184	244	394	544	694	844																																					
	h	700												820																																																
重量 Weight	小车 Handcart	7.146												9.379												8.19																																				
	总重量 Total Weight	t	22.4	24.3	26.6	30.8	33.6	37.7	41.4	44.7	24.9	27	30	34.3	37.3	41.4	44.9	49.5	21.8	23.8	26.5	31.3	34.1	38.2	41.8	45.7																																				
最大轮压 Max. Wheel Pressure		14.8	15.9	16.8	18	19	20.1	20.9	21.5	17.3	18.3	19.6	21	21.8	23	23.8	25.1	17	18	18.9	20.2	21.5	22.6	23.5	24.7																																					
电磁盘 Magnet	型号 Model	MW1-16												MW1-16												MW1-45												MW1-16												MW1-45												
	吸重 Pulling Weight	kg	14330												18330												14450												4540												3330											
	自重 Dead Weight		1670												1670												5550												460												1670											
	直径 Diameter	mm	1180												1180												1650												770												1180											
荐用钢轨 Recommend Steel track		43kg/m QU70																																																												
电源 Power Supply		三相交流 3-Phase A.C. 50Hz 380V																																																												